Instruction Manual HITACHI Refrigerator

No frost

For household use only

Model

R-W610PT5



Thank you very much for purchasing the HITACHI refrigerator. Before installation and usage, please read the instruction manual carefully for the correct usage.

Maintenance work must only be carried out at workshop by well-trained maintenance worker.

HITACHI Inspire the Next

Contents

Page

Preparation for use

Warning and caution for safety	2
Preparations before use	4
Installation	4
■ Before use	4
Optimal Food Storage	4
Swing partion suggestion	4

Operation

ocation of food storage	5
How to operation	5
Name and function of display	5
Temperature control	5
Other functions	6
-Quick Freezing	6
-Energy Saving	6
-Child Lock	6
-Door Alarm and ECO Alarm	
display	6
Refrigerator	7
Freezer	7

Maintenance

Cleaning	7
Troubleshooting	8
Service Center	10



Warnings and Caution for Safety

To avoid harm to the user, other persons or damage to property, please read and follow the warnings and cautions below and those given throughout this manual. le The symbols are shown as below clearly showing the significance of directions.

The symbols below are examples.

This symbol is an alert mark.

This symbol indicates "prohibited".

This symbol indicates "necessary".

The following warnings and cautions are categorized by the level of possible harm or damage that may occur from ignoring directions.



This pictograph indicates "There is a high possibility of serious injury or death, if ignored ".

This pictograph indicates "There is a high possibility of injury or damage to property, if ignored ".

This refrigerator uses flammable refrigerants.
 The symbol column below states the precautions on flammable refrigerants.



This symbol denotes the precautions on flammable refrigerants.







■ When replacing lamps (LED) is required. Please contact your dealer or Hitachi Service Center.

Preparations before Use

Installation

- 1. Install on a rigid and level floor.
- 2. Please use this refrigerator in a room temperature between 10°C to 43°C.
 - Sufficient performance may not be obtained, if the room temperature is too low or too high.
- 3. Do not install the refrigerator where it is exposed to direct sunlight or other heat source.
- 4. Install in an atmosphere which is dry or has air ventilation.
- 5. The refrigerator requires enough air ventilation space around the cabinet to have efficient cooling performance Space of at least 30 cm over the top, 10 cm at rear and 5 cm at both sides for proper air circulation.
- 6. Ground the refrigerator to prevent electric shock and noise interference. Always around this refrigerator.
- when using it in places with high humidity or moisture (Please consult with retailers). 7. Make the refrigerator stand horizontally by adjusting the leveling legs (adjustor).
- - Without adjusting the legs, door height may not be level, or there may be abnormal vibration or noises depending on floor conditions. Follow the instructions below.
 - ① Turn the adjustable legs to lower the adjustable legs until they touch the floor firmly.
 - 2 Compare the height of left and right doors and lower adjustable leg whose door height is lower than the other until the both door height become level
 - Turn the adjustable leg for 1 turn makes approx. 1mm door height change.
 - It will take several days until the legs fits the floor and the door height becomes stable.









SWING



Before Use

- 1. Clean inside the refrigerator. Wipe the surface gently with soft cloth.
- 2. Connect the refrigerator to an exclusive wall power outlet. The refrigerator can be connected to an outlet soon after it is installed. Surely use with the rated voltage and exclusive power outlet. 3. Allow enough duration for sufficient cooling before storing food. It may take about 4 hours to
- fully cool down and could even take about 24 hours when the ambient temperature is high.

Optimal Food Storage

- 1. Keep enough space between food. Several food placed to close together may obstruct the flow of cold air.
- 2. Make food cool enough before putting it in the refrigerator. Putting warm food in the refrigerator raises
- the inside temperature and wastes electricity. 3. Do not block the cold air vent. This will adversely affect the cold air flow and may not keep
 - the temperature inside even. Moreover, it could result in freezing food near the vent.
- 4. Using food wrap or sealed containers prevent the food from drying on transition of smells.

Swing Partition suggestion

Swing Partition suggestion

- Do not hold the swing partition while opening or closing the right door. Otherwise, another parts may collapse.
- Whenever the door is opening, the swing partition will be close automatically. While the door is closing, the swing partition will be open. Please follow as usual. Even if, the swing partition may collapse with swing stopper and the door will not close completely.
- In order to prevent from dew, there is a heater installed inside to heat up the swing partition. Due to this heater, the temperature of the swing partition is hot (the swing partition is not defective though it is hot.)
- There are not abnormal when you feeling heavy while opening or closing the right door which is installed the swing partition.













Location of Food Storage



- Above temperatures are the approximate values in the conditions of outside temperature 32°C, the setting of
 - the refrigerator compartment "Normal", freezer compartment "Normal" while doors being closed and without food storage.
 - Door pocket temperatures may be little higher than above temperatures.

How to operation

"R" light is on.

Name and Functions of Display





Other function

1. Quick Freezing When you want to freeze food or make ice quickly, use this function.



• During "Quick Freezing", priority cooling of the freezer compartment will be done, Thus, try to avoid unnecessary opening and closing the doors not to have a temperature rise of the refrigerator compartment.

2. Energy Saving Recommend to use this function in case of low storage volume, or a long vacation when the doors are not opened for long time.



Notice

In case the compartment temperature rises up, the operation will be back to a normal setting temporarily.
After a long time operation of "Energy Saving", in some cases, fatty ice cream, etc, may become soft. Please stop "Energy Saving" operation in this case.

3. Child Lock You can prevent mischief of all the buttons on the control panel caused by children.



4. Door Alarm and ECO Alarm Display.

If the door is left open for more than 1 minute,

the alarm system will inform the user by the sound and digital display.

- Door Alarm: Informs by PeepPeepPeep sound.
- Eco Alarm Display: Indicates the door opening state on the control panel.

Duration of Door Opening	Door Alarm Sound	ECO Alarm Display
After 1 minute	PeepPeepPeep	
After 2 minute	PeepPeepPeepPeepPeep	ALL LED on display are flashing
After 3 minute	Peeps continuously.	ure hushing

To Disactivate Alarm and Sound

 Keep pressing "Select" button for 5 seconds until "Beep" sound is heared.



There is not sound when pressing any button (disactive door alrm sound).



To re-activate Alarm and Sound

 Keep pressing "Select" button for 5 seconds until "PiPi!" sound is heared.



There is sound when pressing any button (active door alrm sound).



- Notice Upon shipment, the alarm and sound are set "ON".
 - If the Door Alarm, Eco Alarm Display and each button operation sound have been deactivated, the refrigerator will still set the alarm and sound to "OFF" even though a power failure or when unplugging and reconnecting the power plug.

Refrigerator

• If you keep refrigerator in a hot and humid place, frequent openning the door or storing a lot of vegetables in it may cause dew forming which has no effect on its performance. Remove the dew with cloth free from care.



Ice Making

- Pull out the "Twist Ice Maker" and pour in water up to the full line.
- After ice is made, turn the lever clockwise firmly and drop the ice into the "Ice Bank".

Notice

- Do not remove the ice maker with the frame and do not twist it as shown in the picture or else it will be damaged.
- Do not use the "Ice Bank" as an ice maker tray or else it will be damaged



Cleaning (Please clean the refrigerator once a month)

- 1. Unplug the refrigerator.
- 2. Remove all food.
- 3. Wipe the refrigerator clean.
 - It is the best if smudges are wiped off immediately. It is also recommended to clean the areas of the refrigerator not clearly in view once a year.
 - Use a soft cloth moistened with lukewarm water to wipe of smudges. For smudges which are difficult to remove, use a diluted cloth.
 - Neatly clean the door gasket because it gets dirty easily.
- 4. If any droplets remain on the surface of the parts that have been washed, wipe them.
- 5. Return all parts their original locations.
- 6. Inspect and clean the power plug, cord and outlet.
- 7 Plug the power cord into the outlet.



- Notice Even if the power plug is plugged in immediately after being unplugged, the compressor will not run for 10 minutes. However, if the inside is not cold, it will start running in approximately 30 seconds.
 - Do not use the following items which damage parts and painting : Polishing powder, soap powder, oil, boiling water, brush, acid, benzine, thinner, alcohol and alkaline detergent, etc.
 - If the cooking oil smears on the refrigerator, please wipe it off. (The plastic parts might be cracked).

Do not splash water into the doors and refrigerator body.

- Warning It may cause electric shock or fire.
 - It may cause refrigerant leakage because of pipe rust.
 - It may result in rusty door surface.

When replacing lamps (LED) is required. Please contact your dealer or Hitachi Service Center.

Caution

Troubleshooting

Before you call for service, please check the following items:

The refrigerator does not get cold at all.	 Is the refrigerator plugged in properly? Check the fuse box for blown fuse or tripped circuit breaker. 		
The refrigerator does not get cold enough.	 Is the refrigerator placed in the direct sunlight? Is the temperature set to "Cold"? Is the food stored too much? Is the door being slightly opened ? Is the refrigerator placed near heat sources? Has anything hot been placed in the refrigerator? Is the door being opened and closed too frequently? 		
Food in the refrigerator compartment freezes. • Is the temperature set to "Coldest"? • Do you place food with moisture or vegetables nearby the cold air vent? It will be frozen if it is placed nearby the cold air vent? It will be frozen if it is placed nearby the cold air vent?			
The inside is smelling. • Do you store food with odor without wrapping it?			
The refrigerator is noisy.	 Make sure the refrigerator is installed firmly. Is the refrigerator touching the wall? 		

The Control Panel does not respond:

does not respond:	 Is "Child Lock" selected by using the lock function on the panel for operation? Is Refrigerator the compartment Door open? Operate after closing it. Are you wearing gloves or applying a plaster? Touch directly with your finger. Is there water or dirt on the Control Panel? Are you touching a next button? Touch only one button at a time
The Control Panel is unlit.	 Approximately 30 seconds after the end of operation, Indicator LED become unlit.

This is not a malfunction of the refrigerator.

The surface of the refrigerator is hot.	• The refrigerator is equipped with the dew prevention and heat radiation tubes. The back and side plates may be heated especially when starting up or if the door is frequently opened and closed.
If a door is shut, other doors may open.	 The two compartments are connected with an air duct. When closing one of the doors, the door may be opened by the air pressure through the duct. This is a normal phenomenon.
Does the refrigerator make any abnormal noises (sound)?	 The sound like water flowing and boiling water is the sound of the cooling liquid (refrigerant). A creaking sound comes from the storage compartment. It is the sound caused by friction of the parts due to temperature change.
There are waving and/or distortions on the door surface, the side and the top surface of the refrigerator.	 Slight waving and/or distortions are generated in the manufacturing process of the refrigerator. They may be conspicuous according to the position of the light source and/or the brightness etc., but there is no problem with the performance.

	General operation	Please check here	Possible causes and /or Recommended solutions
	Frost or ice is generated in the freezer compartment	The door of the freezer compartment was not left open temporarily?	Check that the wrapping paper of the food is not getting caught in order not to make gap between door and door gasket when you close the door.
		The door of the freezer compartment was not opened frequently or longer time than necessary?	When the door is opened frequently or if the door is opened when the humidity around the refrigerator is high, moisture in the air may be turned into some frost or ice on the inner wall or component of the freezer compartment, or around the air channels. This is not a failure. Please try not to open the door too many times or for a long time. Also, please wipe frost or ice generated in the freezer compartment off with use of a dry cloth.
		Making extra ice by using an additional ice-tray which was not originally installed in the refrigerator?	When the many containers in which water or liquid is stored are put in the same time, water or liquid may be evaporated and turned into frost or ice on the wall or component of the freezer compartment, or around the air channels. You can suppress these frost and ice by putting lid to avoid evaporation. Please wipe frost and ice off with use of a dry cloth.
Dew or Frost is generated	Dew is generated in the refrigerator compartment	The door of the refrigerator compartment was not left open temporarily?	Please check not to pinch the food or plastic bag between the door and door frame when you close the door.
		The door of the refrigerator compartment was not opened frequently or longer time than necessary?	When the door is opened frequently or if the door is opened when the humidity around the refrigerator is high, moisture in the air may be turned into some dew on the inner wall or component of the refrigerator compartment, or around the chilled air blow-off port. This is not a failure.Please try not to open the door too many times or for a long time. Also, please wipe off the dew in the refrigerator compartment with a dry cloth.
		Storing many vegetables containing much water?	The humidity of the vegetable compartment is higher than other compartments. Accordingly, depending on the amount or type of the vegetable, dew condensation may be generated on the plastic case of vegetable compartment. However, this is not a failure. When you do not want to have this kind of dew, please wrap your vegetables in a plastic film. Also, when the dew condensation happens many times, water may be accumulated in the vegetable compartment. Please wipe the water off with a dry cloth.
	Dew is generated	The volume of humidity around	When the humidity rises such as in rainy day, some dew may be generated on the outer surface of the refrigerator. Please wipe the dew off with a dry cloth.
	on the outer	the refrigerator is not high?	
	surface of the	The temperature setting is	When the temperature setting is set as "Coldest", some dew may be generated on the outer surface of the refrigerator. Please set the
	refrigerator	not set as "Coldest "?	setting as "Normal". Also, please wipe dew off with use of a dry cloth.
Nby	frost and dew are genera	ated?	

Why frost and dew are generated?

When warm and humid air contacts something cold, dew is generated. For example, if you put some ice in the glass in your room, air around the glass will be cold down and some dew may be generated on the outer surface of the glass.



In the same way, when warm and humid air enters into the refrigerator at the

door opening, the warm and humid air contacts cold inner wall and little dew may be generated.



Accordingly, if the door opening is too frequent or too long, dew will be accumulated at every door opening. In some cases, dew may be frozen to generate some frost or ice flakes in the freezer compartment.

Service Center

• Before you request repair, please check the refrigerator well according to trouble shooting on page 8. When still abnormal, Please contract the retailer or local Hitachi service center.

Service Center

Hitachi Australia Pty Ltd. Locked Bag 2052, North Ryde NSW 1670 Email: custserv@hitachi.com.au Phone no.: 1800 HITACHI 1800 4482244 Web: www.hitachi.com.au Monday to Friday business hours 9am – 5pm (AEST)

Telephone numbers are subject to change without notice.

Severe warning signs for Disposal

Cyclopentane is used as in the insulation. The gases in insulation material require a special disposal procedure. Please contact your local authorities in regard to the environmentally safe disposal of this product.

About Non-Fluorocabon refrigerator

• This refrigerator, include refrigerant and the heat insulator, is using hydrocarbon (non-fluorocabon). The hydrocarbon is a material that does not rip up the ozone and have very little influence on global warming. It is the global environment concern material.

•	R600a refrigerant is flammale. But the refrigerant is being sealed up by the refrigerate circuit and never leak by usual use.
	In case of the refrigerate circuit damage by any chance. Please avoid the use of fire and electric product, open the window
	and ventilate. Afterwards, please contact Hitachi Service Center.

🕂 Warning

- Children should be supervised to ensure that they do not play with the appliance or get in.
- Children getting inside may not be able to get out.
- This appearance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- Children shall not play with the appliance.
- Cleaning and user maintenance shall not be made by children without supervision.



This symbol mark means that used electrical and electronic products shall not be mixed with general household waste. Do not try to dismantle the system and unit by yourself as this could have harmful effects on your health and the environment. Refrigerators must be treated at a specialized treatment facility for recycling and recovery and shall not be disposed of in the municipal waste stream. Please contact the installer, dealer or local authority for more information.

Memo	

HITACHI Inspire the Next