REFRIGERATION RANGE






Home and life solutions

People have always thought of consumer products as being for a single purpose. Hitachi Home and Life Solutions are engineering a new phase of product development – one where consumer products are interactive and serve multiple purposes.

As the evolution unfolds, consumer products will begin to incorporate digital, network and sensor technologies. These products will become increasingly incorporated into every day life, creating an entirely new level of relationship between people and their products.


We are changing the shape and quality of people's lifestyles while positioning Hitachi as a cutting edge brand that leads future development and is the global brand of choice.



Features

SILVER ION DEODORISER

The special deodoriser built into the air duct uses Silver Ion to help neutralise bacteria and odours throughout the refrigerator. Your food will last much longer than in



conventional refrigerators while the odours produced by spoilt food will be greatly reduced.



TWIST ICE TRAYS

The convenient twist ice trays and large storage bank ensure you will always have ice on hand whenever you need it.

WARRANTY

2 year in-home parts and labour warranty.

Additional 3 year parts warranty on compressor.*

ADVANCED MULTI-FLOW SYSTEM

The advanced multi-flow air distribution system chills or freezes your food quickly and efficiently. The freezer evenly distributes air from both the front and the back while the refrigerator compartment delivers super cold air to multiple sides of the food at once. This system allows cold air to circulate evenly around the refrigerator to keep all areas at a consistent temperature.



Multi-flow for 480 series shown. Other models may differ in flow patern.



HUMIDITY CONTROL SYSTEM

The special Humidity Control System gives you the added flexibility of altering the



climate to suit a variety of different fruits and vegetables, keeping your food fresher for longer.

GLIDE OUT CRISPER

Storing vegetables should be effortless. That's why Hitachi has introduced the glide-out crisper. The four rollers allow you to access your vegetables quickly and easily.

MOULD-PROOFING DOOR GASKET

The door gasket, which is prone to getting dirty and can be hard to get at, has undergone mould-proofing treatment for easier cleaning.

^{*}See warranty card for further details.



QUICK FREEZING

Simply pressing the 'Freezing' button sets the freezer into "Quick Freeze" mode. This allows food and water to be frozen in a third less time than conventional freezers. As well as creating ice quickly, "Quick Freeze" also helps maintain the original taste of frozen foods and ensures they can be stored for longer.

POWER SAVING

When away on holidays or, if only storing a small amount of food, it seems unnecessary to have the refrigerator running



at full power all the time and wasting your money.

To prevent this Hitachi has introduced a clever 'Power Save' function that, when pressed, runs your refrigerator at 20% less power while still keeping your food in perfect condition.

ANTI-BACTERIAL DOOR COATING

The stainless steel model has been covered with a transparent coating that has an anti-bacterial agent in it. The special coating makes it resistant



to dirt and fingerprints, so it can be easily cleaned.

EASY, CHANGEABLE SHELF SUPPORT

The unique shelving support system gives you the flexibility of changing the height while unobtrusively hiding away the supports when not in use.



Features vary depending on model, please see specifications for details.

Specifications





600L – Stainless Steel R600ET3X





600L – Pure White R600ET3





550L – Stainless Steel R550ET3X





550L – Pure White R550ET3





480L – Stainless Steel R480AT4X





480L – Stainless Steel Look R480AT4 SLS





480L – Pure White R480AT4 PWH





350L – Stainless Steel Look R360AT3 SLS





350L – Pure White R360AT3 PWH





230L – Pure White R240AT3 PWH

		REFRIGERATION MODELS							
		R600ET3X	R600ET3	R550ET3X	R550ET3	R480AT4X	R480AT4 PWH/SLS	R360AT3 PWH/SLS	R240AT3 PWH
Colour		Stainless Steel	Pure White	Stainless Steel	Pure White	Stainless	Pure White / Stainless Steel Look	Pure White / Stainless Steel Look	Pure White
Capacity	Total (F / R) (Litres)	600L (193 / 407)	600L (193 / 407)	550L (193 / 357)	550L (193 / 357)	480L (160 / 320)	480L (160 / 320)	350L (110 / 240)	230L (81 / 151)
Dimensions	W x H x D (mm)	835 x 1810 x 715	835 x 1810 x 715	835 x 1710 x 715	835 x 1710 x 715	740 x 1700 x 710	740 x 1700 x 710	590 x 1710 x 640	590 x 1330 x 605
Cooling system		No Frost Type							
Door handle		Vertical (stainless steel)	Vertical (stainless steel)	Vertical (stainless steel)	Vertical (stainless steel)	Vertical	Vertical	Vertical Handle	Vertical Handle
Storage shelf of refrigerator compartment		Two (Glass)	Three (Plastic)	Two (Plastic)					
Crisper shelf		One (Glass)	One (Plastic)	One (Plastic)					
Glideout crisper with humidity control system		Yes	Yes	Yes	Yes	Yes	Yes	-	-
Slideout crisper		-	-	-	-	-	-	Yes	Yes
Door storage of refrigerator compartment	Top shelf	Multi - use Egg Case (Egg 28 pcs)	Multi - use Egg Case (Egg 14 pcs)	Multi - use Egg Case (Egg 14 pcs)	Multi - use Egg Case (Egg 18 pcs)	Multi - use Egg Case (Egg 18 pcs)			
	Second shelf	Utility	Utility	Utility	Utility	Utility	Utility	Two Utilities	Basket
	Third shelf	Basket with 2L bottle storage	Basket	Basket with 2L bottle storage					
	Forth shelf	Basket	Basket	Basket	Basket	Basket	Basket	Basket with 2L Bottle Storage	-
Freezer shelf		One (Wire)	Two (Plastic)	Two (Plastic)					
Ice cube tray		Twist Ice Maker (2pcs)							
Ice bank		Yes							
Quick freezing		Yes	Yes	Yes	Yes	-	-	-	-
Power saving		Yes	Yes	Yes	Yes	-	-	-	-
Deodoriser		Silver Ion Deodoriser							
Advanced multi flow system	1	Yes	Yes	Yes	Yes	Yes	Yes	-	-
Anti-bacterial door coating		Yes	-	Yes	-	Yes	-	-	-
Easy changeable shelf suppo	ort	Yes	Yes	Yes	Yes	Yes	Yes	-	-
Energy rating	(Stars)	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Energy consumption	(kwh/h)	875	875	865	865	789	789	700	572
Refrigerant R-134a	(gr)	185	185	185	185	170	170	160	140
Required clearance	Top (mm)	300	300	300	300	300	300	300	300
	Side (mm)	50	50	50	50	50	50	50	50
	Rear (mm)	50	50	50	50	50	50	50	50

Design and specifications subject to change with product improvement.

